

GENERATOR SEBS 4110W/25



with HONDA GX270 engine
(semi-silenced)

Article Number: **53158**

EAN Code: **9004853531583**



TIPP

AVR-Regelung
optional für viele
Geräte erhältlich

NEU

Viele Modelle auch mit
Schutzart IP54
erhältlich

TIPP

Wunschausstattung
möglich - fragen Sie uns
nach Sondermodellen

Schalttafel SEBS 6510W/25
SEBS 3310, 4110, 6010 und 6510 sind mit
Auto-Choke und Thermischem Schutz-
schalter ausgestattet. Diese Modelle sind
nicht mit Zusatzkomponenten aufrüstbar.

Automatfunktio-
nen
Fernstart-Stopp-Automatik
Start-Stopp-Automatik AT 206
DSE4520 Automatiksteuerung
DSE7310/7320 Remote Control
3G Gateway DSE890

TECHNICAL FACTS

- Quality drive - original Honda four-stroke petrol engine air-cooled
- Integrated large or replacement tank
- Synchronous generator with condenser control
- Thermal circuit breaker with shutdown on overload
- Automatic switch-off in case of low oil

PRODUCT HIGHLIGHTS

LONGRUN - petrol - open design with large tank - 400/230 volt

SEBS generators are sturdy frame units with a little sound insulation and a perfectly integrated large or replacement tank system.

They offer a long service life, are particularly quiet and are recommended for use in acoustically sensitive areas, e.g. on construction sites in built-up areas, for supplying market stalls, weekend homes, mountain huts etc.

GENERATOR SEBS 4110W/25

SEBS models are available from 3 to 15 kVA

Equipment:

- Connections: 2x 230 V Schuko 16A
- Manual start
- Auto-choke
- Shutdown: Low oil and overload
- Synchronous generator
- Capacitor control
- Protection class IP 23
- Mechanical fuel gauge

Operating panel designs - switch panel SEBS 6510WD/25

SEBS 4110 and 6510 are equipped with auto choke and thermal contact breaker. This models cannot be upgraded with additional components.

SPECIFICATIONS	
voltage frequency	230/50 V/Hz
maximum power 1~230V	4 kVA
Power 1 ~ 230V continuous	16 A
fuel	Petrol
rotational	3000 rpm
cooling	air-cooled
engine type	Honda GX 270
emission level	5
engine power	5.8 kW
capacity	270 cm3
cylinder	1
tank capacity	25 l
consumption at 75% load	2 l/h
Running time per tank filling at 75% load	12.5 h
dimensions lxbxh	750x600x590 mm

GENERATOR SEBS 4110W/25

weight (without fuel)	78 kg
sound power complies with RL 2000/14/EG, 2005/88/EG	95 LWA
sound pressure level in 7m	70 dB(A)